

SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 2012

A global specialty chemicals company

Revision date: 30-Aug-2018 Supercedes: 01-Sep-2017 SDS Number: 10866

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product name: M-P-A® 60 MS

Other means of identification

Recommended use of the chemical and restrictions on use Product Use Description: Rheological additive

Details of the supplier of the safety data sheet

Company/Undertaking Identification Elementis

 469 Old Trenton Road
 c/o Elementis GmbH

 East Windsor, NJ 08512
 Stolberger Str. 370

 USA
 50933 Cologne, Germany

 Tel: +1 609 443 2500
 Tel. +49 (0) 221 2923 2000

Tel: +1 609 443 2500 Fax: +1 609 443 2422

Emergency Telephone Number

For Chemical Emergency ONLY (spill, leak, fire, exposure or accident), call CHEMTREC at:

Elementis UK Ltd.

1-800-424-9300 or 1-703-527-3887

For ALL other inquiries about this product, call Elementis at: 1-609-443-2000 (USA) or +49

(0) 221 2923 2000 (EU)

Product_Stewardship@elementis.com

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This product is considered hazardous as defined under OSHA's Hazard Communication Standard (29 CFR 1910.1200).

Specific target organ toxicity (repeated exposure)	Category 1
Aspiration toxicity	Category 1
Flammable solids	Category 1

Label Elements

EMERGENCY OVERVIEW

Danger

Hazard Statements

Causes damage to organs through prolonged or repeated exposure

May be fatal if swallowed and enters airways

Flammable solids

Revision Number: 4 Page 1/9



Appearance: Solid Physical state: Solid Odor: Aromatic, Solvent-like

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Ground/Bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/ .? /equipment

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Get medical advice/attention if you feel unwell

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

None known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components, or components with exposure limits (see section 8)

Components	CAS-No	Weight %
Solvent naphtha (petroleum), medium	64742-88-7	50 - 100 %
aliphatic		

4. FIRST AID MEASURES

FIRST AID MEASURES

General Advice Get medical attention immediately if symptoms occur. Show this safety data sheet to the

doctor in attendance.

Inhalation: IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If

breathing is difficult, give oxygen.

Skin contact: Wash off immediately with soap and plenty of water. If a person feels unwell or symptoms

of skin irritation appear, consult a physician.

Eye contact: Rinse immediately carefully and thoroughly with eye-bath or water. If eye irritation persists,

consult a specialist.

Ingestion If swallowed, seek medical advice immediately and show this SDS or label. Do not induce

vomiting without medical advice. Never give anything by mouth to an unconscious person.

Revision Number: 4 Page 2/9

Protection of first-aiders: Avoid contact with skin and eyes.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and

Difficulty in breathing.

Effects

Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2)

Dry powder

Dry sand

Alcohol-resistant foam

Use water spray or fog; do not use straight streams

Extinguishing media which must not be used for safety reasons

Do not use a solid water stream as it may scatter and spread fire

Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases

None in particular

Unusual Fire and Explosion Hazards:

May emit toxic fumes under fire conditions

Hazardous combustion products

Carbon monoxide Carbon dioxide (CO2)

Explosion data

Explosive properties:

Powdered material may form explosive dust-air mixtures

Reactivity Hazard:

None known

Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Keep people away from and upwind of spill/leak. Use personal protective equipment.

Other Information: See Section 12 for more information.

Environmental precautions

Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not flush into surface water or

sanitary sewer system.

Methods and material for containment and cleaning up

Clean-up methods: Take precautionary measures against static discharges. Sweep up and shovel into suitable

containers for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be

Revision Number: 4 Page 3/9

contained.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling: Take precautionary measures against static discharges. Remove all sources of ignition.

Avoid contact with skin, eyes and clothing. Avoid breathing mists, dusts, or vapors. Wash

hands thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Keep product and empty

container away from heat and sources of ignition.

Additional Storage: Keep away from sources of ignition - No smoking

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Components	OSHA STEL	OSHA PEL	OSHA TWA	OEL - Long-term TWA
Solvent naphtha		2900 mg/m ³	525 mg/m ³	
(petroleum), medium		500 ppm	100 ppm	
aliphatic				

Appropriate engineering controls

Engineering Measures Maintain adequate engineering controls and/or ventilation to keep hazardous ingredients

below their statutory limits. Use an approved respirator whenever exposure limits are

exceeded

Individual protection measures, such as personal protective equipment

Eye protection Tightly fitting safety goggles.

Skin and body protectionChoose body protection in relation to its type, to the concentration and amount of

dangerous substances, and to the specific work-place

Respiratory protection: In the case of respirable dust and/or fumes, use self-contained breathing apparatus.

Hand protection Protective gloves

Nitrile rubber

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state: Solid Appearance: Solid

Odor: Aromatic, Solvent-like
Color: Translucent White

Revision Number: 4 Page 4/9

Odor Threshold No data available

Property Values Remarks / • Method

pH No data available
Melting point/range: No data available
Freezing point: No data available
Boiling Point/Range No data available
Flash Point 47 °C / 116 °F

Flash Point 47 °C / 116 °F Seta Flash / ASTM D3278

Evaporation rate

Explosion limits:

Vapor pressure

Vapor density

No data available

LEL: 0.9 Vol%

UEL: 6.0 Vol%

No data available

No data available

Density: 0.815 g/cm³ insoluble

Solubility in other solvents
Partition coefficient: n-octanol/waterNo data available
Autoignition temperature
Decomposition temperature
Viscosity:
No data available
No data available

Explosive properties: Powdered material may form explosive dust-air mixtures

Oxidizing Properties No information available

Other Information

Bulk Density No data available

10. STABILITY AND REACTIVITY

Reactivity

No dangerous reaction known under conditions of normal use

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None known

Conditions to Avoid

Heat, flames and sparks

Incompatible Materials:

Oxidizing agent

Hazardous Decomposition Products

None reasonably foreseeable

11. TOXICOLOGICAL INFORMATION

Product InformationNo data is available on the product itself

Information on likely routes of exposure

Inhalation: No data available

Eye contact: No data available

Skin contact: No data available

Ingestion No data available

Revision Number: 4 Page 5/9

Component Information

Components	LD50/Oral	LD50/Dermal	LC50/inhalation
Solvent naphtha (petroleum), medium aliphatic 64742-88-7	>5000 mg/kg	>2000 mg/kg	>5.5 mg/L

Information on Toxicological Effects

Delayed and immediate effects as well as chronic effects from short and long-term exposure

CorrosivityNo data availableSensitizationNo data available

Mutagenic effects No data available

Carcinogenic effects: The table below indicates whether each agency has listed any ingredient as a carcinogen

Components	ACGIH	IARC	NTP	OSHA
Solvent naphtha		Group 3- Unclassifiable	Group 3	
(petroleum), medium		as to carcinogenicity to	(stoddard solvents)	
aliphatic		humans		
64742-88-7		(stoddard solvents)		

Reproductive Toxicity: No data available

Developmental Toxicity No data available

Chronic Toxicity

Chronic toxicity: No data is available on the product itself

Target Organ Effects: Respiratory system, Central nervous system.

Other Adverse Effects: No data available

12. ECOLOGICAL INFORMATION

<u>Product Information</u> There is no data available for this product

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Components	Toxicity to Algae	Toxicity to Fish	Daphnia Magna (Water Flea)
Solvent naphtha (petroleum),	450 mg/L: EC50 96 h	800 mg/L: LC50 96 h Pimephales	EC50: 100 mg/L (48 h)
medium aliphatic	Pseudokirchneriella subcapitata	promelas static	
64742-88-7			

Components	LC50	EC50	Bioaccumulation Concentration Factor	No Observable Effect Concentration (NOEC)
Solvent naphtha	800 mg/L (Pimephales	100 mg/L (Daphnia magna		
(petroleum), medium	promelas; 96 h static)	48 h)		
aliphatic		450 mg/L		
		(Pseudokirchneriella		
		subcapitata: 96 h)		

Persistence and degradability:

No data available

Bioaccumulative potential:

Revision Number: 4 Page 6/9

No data available

Mobility

No information available

General Note:

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues /unused

products

Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose

of in accordance with federal, state and local regulations.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal.

RCRA Hazardous Waste:

RCRA: Characteristic Waste - D001 (ignitable)

14. TRANSPORT INFORMATION

U.S. Department of Transportation Ground (49 CFR):

UN-No: 1325

Proper shipping name: `FLAMMABLE SOLID, ORGANIC, N.O.S. (PETROLEUM DISTILLATES)`

Hazard Class: 4.1
Hazard Labels: 4.1
Packaging group: II
Marine pollutant: NO

International Air Transport Association (IATA)

UN-No: 1325

Proper shipping name: `FLAMMABLE SOLID, ORGANIC, N.O.S. (PETROLEUM DISTILLATES)`

Hazard Class: 4.1
Hazard Labels: 4.1
Packing group: ||

International Maritime Dangerous Goods (IMDG)

UN-No 1325

Proper Shipping Name `FLAMMABLE SOLID, ORGANIC, N.O.S. (PETROLEUM DISTILLATES)`

Hazard Class 4.1
Hazard Labels: 4.1
Packing Group II
EmS: F-A, S-G
IMDG - Marine Pollutants: No

Surface Shipments in Europe (ADR/RID):

ADR/RID: 4.1 Flammable solids

UN-No: 1325

Proper shipping name: `FLAMMABLE SOLID, ORGANIC, N.O.S. (PETROLEUM DISTILLATES)`

Hazard Class: 4.1
Packing group: II
Hazard Labels: 4.1
Environmental hazard mark: NO

Revision Number: 4

Page 7/9

15. REGULATORY INFORMATION

International Inventories

USA (TSCA): Complies EU (EINECS): Complies **EU REACH:** Complies CANADA (DSL) Complies **CANADA (NDSL):** Not applicable JAPAN (ENCS): Complies **PHILIPPINES (PICCS):** Complies Complies KOREA (KECL): China (IECSC) Complies Complies **AUSTRALIA (AICS):** Complies **NEW ZEALAND (NZIoC):** TAIWAN (NECI): Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japan Existing and New Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

NECI - Taiwan National Existing Chemical Inventory

EU-Regulations

For purchases from Elementis EU legal entities, all ingredients are currently registered or exempt under REACH. For purchases from non-EU Elementis legal entities with the intention to export into the EU, please contact your Elementis representative/local office.

Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Fire Hazard

Acute Health Hazard

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

TSCA Section 12(b) Export Notification

This product does not contain chemicals that are required to be notified under the TSCA 12(b) Export Notification.

State Regulations (RTK)

California Proposition 65

This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects

16. OTHER INFORMATION

Revision Number: 4 Page 8/9

HMIS:

Health: 1 *
Flammability: 2
Physical Hazard: 0

Previous Revision Date: 01-Sep-2017

Key/Legend: N/A: Not applicable

N/D: Not determined ppm: Parts per million

X: Listed

Prepared by Product Stewardship

The information provided in this Safety Data Sheet is correct to the best of ELEMENTIS' knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release, and is not to be considered a warranty or quality specification. The information relates only to the specific product designated and may not be valid for such product when used in combination with any other material or in any process, unless specified in this SDS. ELEMENTIS specifically disclaims any liability for any loss, injury or damage which may result from use or misuse of this product. All chemicals should be handled only by competent personnel, within a controlled environment. It is the buyer's/user's responsibility to ensure that his activities comply with all applicable federal, state, provincial and local laws, and to determine the conditions necessary for the safe use of this product. ELEMENTIS urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product.

End of Safety Data Sheet

Revision Number: 4 Page 9/9